


FINAL PLAT
LAKELAND VILLAGE SUBDIVISION PHASE 5
 A PORTION OF GOVERNMENT LOT 3, WITHIN THE HWY/4 OF SECTION 23
 TOWNSHIP 4 NORTH, RANGE 1 EAST, BOISE MERIDIAN
 GARDEN CITY, ADA COUNTY, IDAHO
 2003
 FOX LAND SURVEYS, INC.



LINE TABLE

LINE	BEARING	LENGTH	LEIGHT
L11	S70°35'11" W	24.40	24.40
L12	N48°18'42" E	20.91	20.91
L13	S00°08'00" E	20.91	20.91
L14	N40°14'23" W	19.69	19.69
L15	N43°37'23" W	20.41	20.41
L16	N50°18'15" E	21.62	21.62
L17	S45°15'00" W	19.91	19.91
L18	N44°45'00" W	18.91	18.91

CURVE TABLE

CURVE	RADIUS	DELTA	LENGTH	TANGENT	CHORD BEARING	CHORD LENGTH
C1	650.00	8°37'08"	10.80	5.40	N83°54'30" E	10.80
C2	700.00	5°24'35"	10.74	5.37	S86°35'21" W	10.74
C3	20.00	49°59'41"	17.45	9.33	N24°51'50" W	16.90
C4	50.00	16°33'10"	16.18	8.17	S40°35'00" E	16.12
C5	50.00	49°26'31"	43.15	23.02	S06°35'15" E	41.62
C6	50.00	39°00'00"	31.42	16.25	S36°08'00" W	30.80
C7	50.00	36°00'00"	31.42	16.25	S72°08'00" W	30.80
C8	50.00	36°00'00"	31.42	16.25	N71°52'00" W	30.80
C9	50.00	49°26'31"	43.15	23.02	N35°52'00" W	41.62
C10	50.00	18°33'10"	16.18	8.17	N49°51'06" E	16.12
C11	50.00	40°50'41"	17.45	9.33	S25°07'51" W	16.90
C12	700.00	8°48'40"	107.65	54.03	N76°22'35" W	107.74
C13	650.00	8°23'44"	95.24	47.71	S88°34'56" W	95.18
C14	650.00	10°15'30"	116.38	58.34	N74°55'48" W	116.22
C15	650.00	8°20'52"	105.04	53.11	S86°05'22" W	105.93
C16	675.00	11°38'00"	137.05	68.78	N69°47'58" W	136.82
C17	675.00	4°17'05"	3.36	1.68	N93°50'23" W	3.36
C18	675.00	13°33'47"	163.71	82.28	N76°44'57" W	163.31
C19	700.00	02°09'42"	26.41	13.21	S79°52'54" E	26.41

- NOTES**
- ALL LOTS ARE HEREBY DESIGNATED AS HAVING A PERMANENT PUBLIC UTILITIES, GARDEN CITY UTILITIES, AND LAKELAND VILLAGE HOME OWNERS ASSOCIATION DRAINAGE AND IRRIGATION EASEMENT OVER THE RIGHT-OF-WAY AND PARALLEL WITH ROAD TO THE SUBDIVISION BOUNDARY. HOWEVER, THIS SHALL NOT PRECLUDE THE CONSTRUCTION OF PROPER HARD SURFACE DRIVEWAYS FOR ACCESS TO EACH INDIVIDUAL LOT. SPECIAL EASEMENTS AS SHOWN.
 - EACH SIDE OF COMMON LOT LINES HAVE A FIVE (5) FOOT PERMANENT PUBLIC UTILITIES, GARDEN CITY UTILITIES, AND LAKELAND VILLAGE HOME OWNERS ASSOCIATION IRRIGATION AND DRAINAGE EASEMENT, UNLESS OTHERWISE NOTED.
 - MINIMUM BUILDING SETBACK LINES SHALL BE IN ACCORDANCE WITH THE APPLICABLE ZONING AND SUBDIVISION REGULATIONS AT THE TIME OF ISSUANCE OF THE BUILDING PERMIT OR AS SPECIFICALLY APPROVED AND/OR REQUIRED, OR AS SHOWN ON THIS PLAT.
 - ANY RESUBDIVISION OF THIS PLAT SHALL COMPLY WITH THE APPLICABLE ZONING AND SUBDIVISION REGULATIONS IN EFFECT AT THE TIME OF THE RESUBDIVISION OR AS ALLOWED BY CONDITIONAL USE.
 - DEVELOPER AND/OR OWNER(S) TO COMPLY WITH IDAHO CODE, SECTION 31-3805 CONCERNING IRRIGATION USE.
 - LOT 82, BLOCK 2 AND LOT 19, BLOCK 3 ARE HEREBY DESIGNATED AS HAVING AN ADA COUNTY HIGHWAY RIGHT-OF-WAY AND DRAINAGE EASEMENT AND ARE TO BE MAINTAINED BY THE LAKELAND VILLAGE HOME OWNERS ASSOCIATION. EASEMENTS SHALL REMAIN FREE OF ALL ENCROACHMENTS AND OBSTRUCTIONS (INCLUDING FENCES AND ALLEYS) WHICH MAY ADVERSELY AFFECT DRAINAGE OR OPERATION AND MAINTENANCE OF THE DRAINAGE FACILITY.
 - LOTS SHALL NOT BE REDUCED IN SIZE WITHOUT PRIOR APPROVAL FROM THE HEALTH AUTHORITY.
 - NO ADDITIONAL DOMESTIC WATER SUPPLIES SHALL BE INSTALLED BEYOND THE WATER SYSTEM APPROVED IN THE SANITARY RESTRICTION RELEASE.
 - REFERENCE IS MADE TO PUBLIC HEALTH LETTER ON FILE REGARDING ADDITIONAL RESTRICTIONS.
 - LOT 82 & 93, BLOCK 2, LOT 19, BLOCK 3 & LOT 1, BLOCK 5 WILL BE COMMON LOTS OWNED AND MAINTAINED BY THE LAKELAND VILLAGE HOMEOWNERS ASSOCIATION.
 - A 12.00' FOOT WIDE IRRIGATION EASEMENT FOR THE DISTRIBUTION OF IRRIGATION WATER RIGHTS TO THE LAKELAND VILLAGE DEVELOPMENT, THE HONEYCREEK RIVER ESTATES SUBDIVISION AND THE EDGEWATER ESTATES SUBDIVISION. THE WATER COURSE WITHIN THE LAKELAND VILLAGE DEVELOPMENT SHALL BE MAINTAINED BY THE LAKELAND VILLAGE HOMEOWNERS ASSOCIATION.



PREPARED BY
FOX LAND SURVEYS, INC.
 913 S LATAI SUITE D BOISE, ID 83705
 208-342-7957 - FAX 208-342-7437
 INDEX# 411-23-4-0-0-00-00
 ACAD DIV. FILE 2016RPHSMPT

INDEX# 411-23-4-0-0-00-0000


LEGEND

- Subdivision Boundary Line
- Lot Line
- Section Line
- - - 1/4 Section Line
- Easement Line
- Found Brass Cap Monument
- Set 5/8"x30" Rebar W/ Cop Stamped "FLSI PLS 7612"
- Set 1/2"x24" Rebar W/ Cop Stamped "FLSI PLS 7612"
- Found 5/8" Rebar W/ Cop Stamped "FLSI 7612"
- Found 5/8" Rebar W/ No Cop, Unless Otherwise Noted
- Found 1/2" Rebar Cop Stamped "FLSI PLS 7612", Unless Otherwise Noted
- Found 1/2" Rebar W/ Cop Stamped "BA LS 4116"
- △ Calculated Point, Nothing Found or Set
- WC Witness Corner

FINAL PLAT
LAKELAND VILLAGE SUBDIVISION PHASE 5
 A PORTION OF GOVERNMENT LOT 3, WITHIN THE NW1/4 OF SECTION 23,
 TOWNSHIP 4 NORTH, RANGE 1 EAST, BOISE MERIDIAN
 GARDEN CITY, ADA COUNTY, IDAHO


2003
 FOX LAND SURVEYS, INC.

- LEGEND**
- Subdivision Boundary Line
 - Lot Line
 - Section Line
 - 1/4 Section Line
 - Easement Line
 - Found Brass Cop Monument
 - Set 5/8"x30" Rebar w/ Cop Stamped "FLSI PLS 7612"
 - Set 1/2"x24" Rebar w/ Cop Stamped "FLSI PLS 7612"
 - Found 5/8" Rebar w/ Cop Stamped "FLSI 7612"
 - Found 5/8" Rebar w/ No Cop, Unless Otherwise Noted
 - Found 1/2" Rebar Cop Stamped "FLSI PLS 7612", Unless Otherwise Noted
 - Found 1/2" Rebar w/ Cop Stamped "BA LS 4110"
 - Calculated Point, Nothing Found or Set
 - Witness Corner



LINE	BEARING	LENGTH
L11	S20°39'11\" W	24.40
L12	N46°18'42\" E	20.65
L13	N09°09'00\" E	20.91
L14	N40°14'23\" W	19.69
L15	N43°37'23\" W	20.41
L16	N50°18'15\" E	21.62
L17	S45°15'00\" W	18.91
L18	N44°45'00\" W	18.91

CURVE	RADIUS	DELTA	LENGTH	TANGENT	CHORD BEARING	CHORD LENGTH
C1	650.00	0°57'08\"	10.80	5.40	S83°54'30\" E	10.80
C2	700.00	0°74'35\"	102.74	51.46	S88°35'21\" W	102.65
C3	20.00	48°58'41\"	17.45	8.33	N24°05'50\" W	16.00
C4	20.00	18°33'10\"	16.19	8.17	S40°35'06\" E	16.12
C5	50.00	49°26'31\"	43.15	21.02	S06°35'15\" E	41.82
C6	60.00	36°00'00\"	31.42	16.25	S36°08'00\" W	30.80
C7	50.00	38°00'00\"	31.42	16.25	S22°08'00\" W	30.00
C8	50.00	38°00'00\"	31.42	16.25	N11°52'00\" W	30.00
C9	50.00	38°00'00\"	31.42	16.25	N35°54'00\" W	30.00
C10	50.00	49°26'31\"	43.15	23.02	N08°51'18\" E	41.82
C11	90.00	18°33'10\"	16.19	8.17	N40°51'08\" E	16.12
C12	20.00	49°59'41\"	17.45	8.33	S25°07'51\" W	16.00
C13	700.00	0°49'40\"	107.85	54.03	N78°22'35\" W	107.74
C14	650.00	0°23'44\"	95.24	47.71	S69°34'56\" W	95.16
C15	650.00	10°15'20\"	116.38	56.34	N74°55'18\" W	116.22
C16	650.00	0°70'52\"	106.04	53.14	S89°06'22\" W	105.93
C17	675.00	11°38'00\"	137.05	68.76	N89°47'58\" W	136.82
C18	675.00	07°17'05\"	3.36	1.68	N83°50'23\" W	3.36
C19	675.00	13°53'42\"	163.71	82.26	N76°44'57\" W	163.31
C20	700.00	02°09'42\"	26.41	13.21	S70°32'54\" E	26.41



LAKELAND VILLAGE SUBDIVISION PHASE 4
 BOOK 66 PAGE 9666-9669



PREPARED BY
FOX LAND SURVEYS, INC.
 913 S LATAH SUITE D BOISE, ID 83705
 208-342-7957 - FAX 208-342-7437
 INDEX# 411-23-4-0-00-00
 ACAD.DWG.FILE.2016BPHSMFP

INDEX# 411-23-4-0-00-0000


EX 87 00 10.019

FINAL PLAN
LAKELAND VILLAGE SUBDIVISION PHASE 5
 A PORTION OF GOVERNMENT LOT 3, WITHIN THE NW1/4 OF SECTION 23
 TOWNSHIP 4 NORTH, RANGE 1 EAST, BOISE MERIDIAN
 GARDEN CITY, ADA COUNTY, IDAHO

2003

FOX LAND SURVEYS, INC.
 913 S LATAH SUITE D BOISE, ID 83705
 208-342-7957 -- FAX 208-342-7457
 INDEX# 411-23-4-0-0-00-00
 ACAD.DWG. FILE 2016BPH5MFP

FOUNDED 1911
 PROFESSIONAL LAND SURVEYORS
 STATE OF IDAHO
 LICENSE NO. 100087402



BASIS OF BEARING
 The Basis of Bearing for this survey is between the found Brass Cap monument at the North West corner of Section 23 and the found 5/8" rebar with cap stamped "FLS PLS 7612" at the North 1/4 Corner, Section 23 and bears S 89°52'00" E as shown on Record of Survey No. 4846.

DETAIL B
 SLEEPY HOLLOW SUBDIVISION
 BOOK 82, PAGE 889E
 TRUE POINT OF BEGINNING
 SEE DETAIL B
 S 89°53'54" E 397.73'
 S 89°53'54" E 108.63'
 S 89°53'54" E 202.16'
 S 89°53'54" E 425.70'
 S 89°52'00" E 118.08'
 S 89°52'00" E 228.94'
 S 89°52'00" E 264.68'
 S 89°52'00" E 264.18'

DETAIL A
 FOUND 5/8" REBAR WITH CAP STAMPED "PLS 4116" REBAR DURING CONSTRUCTION. RESET 5/8" REBAR WITH CAP STAMPED "FLS 7612" FOR WITNESS CORNER DUE TO CONFLICT WITH FENCING AT TRUE CORNER.

SEE NOTES ON SHEET 2

LINE TABLE

LINE	BEARING	LENGTH
L1	S64°24'01"E	82.10
L2	S20°11'57"W	76.43
L3		
L4	N05°36'56"W	50.00
(R2)	N05°39'55"W	50.00
L5	S06°14'16"W	50.12
L6	N05°10'00"W	60.96
(R2)	N05°10'00"W	80.88
L7	N03°16'37"W	22.87
(R1)	N03°46'37"W	22.87
L8	N83°52'41"E	136.52
(R1)	N83°52'41"E	136.52
L9	S77°44'23"E	64.29
(R1)	S77°44'23"E	64.29
L10	N00°29'18"E	50.00

CURVE TABLE

CURVE	RADIUS	DELTA	LENGTH	TANGENT	CHORD BEARING	CHORD LENGTH
C1	650.00	0°57'08"	10.80	5.40	N83°54'30"E	10.80
(R2)	650.00	0°57'08"	10.80	5.40	N83°54'30"E	10.80
C2	700.00	0°27'00"42"	26.41	13.21	S70°52'54"E	26.41

LEGEND

- Boundary Line
- - - Section Line
- Quarter Section Line
- Found Brass Cap Monument
- ⊙ Found Aluminum Cap Monument
- Set 5/8"x30" Rebar w/ Cap Stamped "FLS PLS 7612"
- Found 5/8" Rebar w/ Cap Stamped "FLS 7612"
- Found 5/8" Rebar w/ No Cap, Unless Otherwise Noted
- Found 1/2" Rebar w/ Cap Stamped "BA LS 4116"
- Found 1/2" Rebar w/ Cap Stamped "FLS PLS 7612", Unless Otherwise Noted
- ▲ Calculation Point, Nothing Set
- WC Witness Corner
- (R1) Record Data Per Record of Survey No. 5660
- (R2) Record Data Per Plat of Lakeland Village Subdivision Phase 4 Book 80, Page 888E-888F



FOX LAND SURVEYS, INC.
 913 S LATAH SUITE D BOISE, ID 83705
 208-342-7957 -- FAX 208-342-7457
 INDEX# 411-23-4-0-0-00-00
 ACAD.DWG. FILE 2016BPH5MFP

INDEX# 411-23-4-0-00-0000

SHEET 1 OF 4

BY 87 10.10.17

FINAL PLAT FOR LAKELAND VILLAGE SUBDIVISION PHASE 5

2003 FOX LAND SURVEYS, INC.

CERTIFICATE OF OWNER

A Tract of land located in a portion of Government Lot 3, within the Northwest 1/4 of Section 23, Township 4 North, Range 1 East, Boise Meridian, Garden City, Ada County, Idaho more particularly described as follows:
Beginning at the found Brass Cap at the Section Corner common to Sections 14, 15, 22 and 23, Township 4 North, Range 1 East, Boise Meridian;

thence South 89° 52' 00" East a distance of 1446.82 feet along the Section line common to said Sections 14 and 23 to a found 5/8 inch rebar with plastic cap stamped "BKA PLS 7812" at the Northwest corner of the Steep Hollow Subdivision and the Northeast corner of Lakeland Village Subdivision Phase 3;

thence along the line common to said Steep Hollow Subdivision and Lakeland Village Subdivision Phases 3 & 4 the following courses and distances:
South 00° 13' 20" West a distance of 325.40 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at the Southwest corner of said Steep Hollow Subdivision and the Southeast corner Lot 63, Block 2 of said Lakeland Village Subdivision Phase 3;

South 89° 53' 54" East a distance of 397.23 feet to a found 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at the Northeast corner of Lot 77, Block 2 of said Lakeland Village Subdivision Phase 4 and the TRUE POINT OF BEGINNING

thence continuing along the south line of said Steep Hollow Subdivision South 89° 53' 54" East a distance of 202.16 feet to a point from which a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" bears South 64° 24' 01" East a distance of 3.00 feet

thence leaving said south line of said Steep Hollow Subdivision South 64° 24' 01" East a distance of 92.10 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812";

thence South 00° 08' 00" West a distance of 304.44 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at the beginning of a non-tangent curve to the right, said curve having a central angle of 02° 09' 42", a radius of 700.00 feet, a chord bearing of South 70° 52' 54" East a chord distance of 26.41 feet;

thence along said curve to the right an arc length of 20.41 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812";

thence South 20° 11' 57" West a distance of 76.43 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812";

thence South 00° 15' 00" West a distance of 499.87 feet to a found 1 inch steel pin, replaced with a 5/8 inch rebar with plastic cap stamped "FLS PLS 7812";

thence South 89° 14' 16" West a distance of 229.68 feet to a found 1/2 inch rebar with plastic cap stamped "FLS PLS 7812", replaced with a 5/8 inch rebar with plastic cap stamped "FLS PLS 7812";

thence North 65° 10' 00" West a distance of 60.98 feet to a found 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at the Southeast corner of said Lakeland Village Subdivision Phase 4;

thence along the East boundary of said Lakeland Village Subdivision Phase 4 the following courses and distances:
North 00° 15' 00" East a distance of 570.32 feet to a found 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at a point on the southerly right-of-way of West Heceta Head Drive and the beginning of a non-tangent curve to the right, said curve having a central angle of 00° 57' 08", radius of 650.00 feet, a chord bearing of North 83° 54' 30" East a chord distance of 10.60 feet;

thence along said curve to the right an arc length of 10.80 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at a point on said south Right-of-Way;

thence leaving said Right-of-Way North 05° 36' 56" West a distance of 50.00 feet to a set 5/8 inch rebar with plastic cap stamped "FLS PLS 7812" at a point on the North Right-of-Way of said West Heceta Head Drive;

thence leaving said Right-of-Way North 00° 08' 00" East a distance of 313.55 feet to the TRUE POINT OF BEGINNING.

Containing 269,128 square feet, 6.155 acres, more or less.


Subject to existing assessments and right-of-way as any may exist, of record or not of record.

The Basis of Bearings for this description is between the found Brass Cap at the Section Corner common to Sections 14, 15, 22 and 23 of said Township and Range and the found 5/8 inch rebar at the Quarter Corner common to said Sections 14 and 23 and bears South 89° 52' 00" East as shown on the Plat of Lakeland Village Phase Two Subdivision.

It is the intention of the undersigned to include said land in this plat, and dedicate to the public forever the public streets "West Heceta Head Drive, North Dubuay Pier Avenue, North Dubuay Pier Place and West Umpqua River Court". The easements indicated on said plat are not dedicated to the public but the right to use said easements are perpetually reserved for public utilities and for such other uses as designated hereon and no structure other than for such utility purposes are to be erected within the limits of said easements. All lots within this plat will be eligible to receive water service from the Garden City Water System and Garden City has agreed in writing to serve all of the lots.

In witness whereof, I have set my hand this 28th day of July, year of 2003.

Lakeland Village, LLC
Renald W. Bath, Member



ACKNOWLEDGMENT
STATE OF IDAHO }
COUNTY OF ADA } SS

On this 28th day of July, in the year of 2003, before me, the undersigned, a Notary Public in and for the State of Idaho, personally appeared Renald W. Bath, known or identified to me to be the person who executed the instrument on behalf of Lakeland Village, LLC, and acknowledged to me that such Limited Liability Company executed the same.

Renald W. Bath
NOTARY PUBLIC OF IDAHO
RESIDING AT: 7700 E. 12th
MY COMMISSION EXPIRES ON 7/27/09

CITY ENGINEER APPROVAL

I, Joseph O. Cannon, THE UNDERSIGNED, CITY ENGINEER FOR GARDEN CITY, ADA COUNTY, IDAHO, HEREBY ACCEPT AND APPROVE THIS PLAT ON THIS 28th DAY OF JULY, 2003.

Joseph O. Cannon
PE 4116
CITY ENGINEER

CENTRAL DISTRICT HEALTH DEPARTMENT APPROVAL


SANITARY RESTRICTIONS OF THIS PLAT ARE HEREBY REMOVED AND REFERRED TO THE LETTER TO BE READ ON FILE WITH THE COUNTY RECORDER ON HIS AGENT LISTING THE CONDITIONS OF APPROVAL.



Melba L. Hester
E.S.-D.3
HEALTH OFFICER

CITY COUNCIL APPROVAL

I, Sean C. Kankala, CITY CLERK IN AND FOR THE GARDEN CITY, ADA COUNTY, IDAHO, DO HEREBY CERTIFY THAT AT A REGULAR MEETING OF THE CITY COUNCIL HELD ON THE 22nd DAY OF OCTOBER, 2003, THIS PLAT WAS DULY ACCEPTED AND APPROVED.



Sean C. Kankala
GARDEN CITY CLERK

ADA COUNTY HIGHWAY DISTRICT COMMISSIONER'S ACCEPTANCE

THE FOREGOING PLAT WAS ACCEPTED AND APPROVED BY THE ADA COUNTY COUNTY HIGHWAY DISTRICT COMMISSIONERS ON THE 22nd DAY OF OCTOBER, 2003.



Sherry R. Walker
ADA COUNTY HIGHWAY DISTRICT

COUNTY SURVEYOR'S APPROVAL

I, THE UNDERSIGNED, PROFESSIONAL LAND SURVEYOR FOR ADA COUNTY, IDAHO, DO HEREBY CERTIFY THAT I HAVE CHECKED THIS PLAT, AND THAT IT COMPLIES WITH THE STATE OF IDAHO CODE RELATING TO PLATS AND SURVEYS.



John E. Switzer
ADA COUNTY SURVEYOR

COUNTY TREASURER'S CERTIFICATE

I, THE UNDERSIGNED, COUNTY TREASURER IN AND FOR ADA COUNTY, IDAHO, PER THE REQUIREMENTS OF I.C. 50-4308, DO HEREBY CERTIFY THAT ANY AND ALL CURRENT AND/OR DELINQUENT COUNTY PROPERTY TAXES FOR THE PROPERTY INCLUDED IN THIS SUBDIVISION HAVE BEEN PAID IN FULL. THIS CERTIFICATION IS VALID FOR THE REMAINING (30) DAYS ONLY.



Lynnda Becker
ADA COUNTY TREASURER
DATE: 12/22/03

COUNTY RECORDER'S CERTIFICATE

STATE OF IDAHO }
COUNTY OF ADA } SS
I hereby certify that this instrument was filed for record at the request of ADA on this 28th day of JULY, 2003, in book 51 of plats at pages 1014 to 1017.



Annmarie
ADA COUNTY RECORDER
DATE: 12/22/03

CERTIFICATE OF SURVEYOR

This is to certify that I, Timothy J. Fox, a Professional Land Surveyor, supervised the survey of land as described in the Certificate of Owners and that this plat is a true and correct representation of said survey as made on said land and delineated herein as "Lakeland Village Subdivision Phase 5", was done in accordance with the provisions of the laws of the State of Idaho relating to Plats and Surveys and in conformance with the current Garden City SUBMISSOR ORDINANCE.



PREPARED BY
FOX LAND SURVEYS, INC.
913 S LATAH SUITE D BOISE ID 83705
208-342-7957 - FAX 208-342-7437
INDEX# 411-23-4-0-00-00
ACAD.DWG.FIL 20168P15FP4 SHEET 4 OF 4